

KAREN A. KAINER
Publications

Last updated: 31 May 2019

Refereed

Kainer, K.A., C. López Binnqüist, J.L. Dain, B. Contreras Jaimes, P. Negreros Castillo, R. Gonzalez Basulto, E.A. Ellis, H.H. Covert, R. López Rodríguez, I.U. Hernández Gómez, F. Melchor Contreras. 2019. Leading by listening, learning by doing: Modeling democratic approaches to conservation leadership in graduate education. *Journal of Environmental Studies and Sciences*. <https://doi.org/10.1007/s13412-019-00542-3>

Kainer, K.A., L.H.O. Wadt and C.L. Staudhammer. 2018. The evolving role of *Bertholletia excelsa* in Amazonia: contributing to local livelihoods and forest conservation. *Desenvolvimento e Meio Ambiente* 48:477-497. DOI: <http://dx.doi.org/10.5380/dma.v48i0.58972>

Tucker Lima, J.M., N.M. Caruso, J. Clugston and K.A. Kainer. 2018. Landscape change alters reproductive phenology and sex expression in *Attalea* palms (Arecaceae) of southwestern Amazonia. *Plant Ecology* 219:1225-1245. DOI: [10.1007/s11258-018-0874-7](https://doi.org/10.1007/s11258-018-0874-7)

Sierra-Huelsz, J.A. 2018. Tourism consumption of biodiversity: A global exploration of forest product use in thatched tropical resort architecture. *Geoforum* 94:1-11. <https://doi.org/10.1016/j.geoforum.2018.06.004>

Cooper, N.A. and K.A. Kainer. 2018. To log or not to log: Local perceptions of timber management and implications for well-being within a sustainable use protected area. *Ecology and Society* 23(2):4. <https://doi.org/10.5751/ES-09995-230204>

Wadt, L.H.O., C.L. Faustino, C.L. Staudhammer, K.A. Kainer and J. Silva Evangelista. 2018. Primary and secondary dispersal of *Bertholletia excelsa*: Implications for sustainable harvests. *Forest Ecology and Management* 415-416:98-105. <https://doi.org/10.1016/j.foreco.2018.02.014>

Bertwell, T.D., K.A. Kainer, W.P. Cropper, Jr., C.L. Staudhammer and L.H.O. Wadt. 2018. Are Brazil nut populations threatened by fruit harvest? *Biotropica* 50(1):50-59. <http://onlinelibrary.wiley.com/doi/10.1111/btp.12505/epdf>

Klimas, C., W.P. Cropper, K.A. Kainer and L.H.O. Wadt. 2017. Multi-model projections for evaluating sustainable timber and seed harvest of *Carapa guianensis*. *Forest Science*. DOI: <https://doi.org/10.5849/FS-2017-001>

Londres, M., M. Schulze, C. Staudhammer and K. A. Kainer. 2017. Population structure and fruit production of *Carapa guianensis* (Andiroba) in Amazonian floodplain forests: implications for community-based management. *Tropical Conservation Science* 10:1-13. DOI: [10.1177/1940082917718835](https://doi.org/10.1177/1940082917718835)

Sierra-Huelsz, J.A., K.A. Kainer, E. Keys and S.S. Colli-Balam. 2017. Three stories under the same hut: Market preferences and forest governance drive the evolution of tourism construction materials. *Forest Policy and Economics* 78:151-161. [DOI: 10.1016/j.forpol.2017.01.022](https://doi.org/10.1016/j.forpol.2017.01.022)

Martins, K., Kimura, R.K., Francisconi, A.F., Gezan, S., Kainer, K., and Christianini, A.V. 2015. The role of very small fragments in conserving genetic diversity of a common tree in a hyper fragmented Brazilian Atlantic forest landscape. *Conservation Genetics*. [DOI: 10.1007/s10592-015-0800-7](https://doi.org/10.1007/s10592-015-0800-7)

Ellis, E.A., K.A. Kainer, J.A. Sierra-Huelsz, P. Negreros-Castillo, D. Rodriguez-Ward and M. DiGiano. 2015. Endurance and adaptation of community forest management in Quintana Roo, Mexico. *Forests* 6:4295-4327. [DOI: 10.3390/f6114295](https://doi.org/10.3390/f6114295)

Rockwell, C.A. and K.A. Kainer. 2015. Local and scientific perspectives on the bamboo-dominated forest in Acre, Brazil: A complementary knowledge base for multiple use forest management. *International Forestry Review* 17(S1)51-64. [DOI: http://dx.doi.org/10.1505/146554815814668945](https://doi.org/http://dx.doi.org/10.1505/146554815814668945)

Duchelle, A.E., A.M. Almeyda Zambrano, S. Wunder, J. Börner, and K.A. Kainer. 2014. Smallholder specialization strategies along the forest transition curve in southwestern Amazonia. *World Development* 64:S149-S158. [DOI: 10.1016/j.worlddev.2014.03.001](https://doi.org/10.1016/j.worlddev.2014.03.001)

Zeidemann, V., K.A. Kainer and C.L. Staudhammer. (in press). Heterogeneity inside the polygon: NTFP quality, access and management variation shape benefit distribution in an Amazonian extractive reserve. *Environmental Conservation*. [DOI: 10.1017/S0376892913000489](https://doi.org/10.1017/S0376892913000489)

Kainer, K.A., L.H.O. Wadt and C.L. Staudhammer. 2014. Testing a silvicultural recommendation: Brazil nut responses 10 years after liana cutting. *Journal of Applied Ecology* 51:655-663. [DOI: 10.1111/1365-2664.12231](https://doi.org/10.1111/1365-2664.12231)

Rockwell, C.A., K.A. Kainer, M.V.N d'Oliveira, C.L. Staudhammer and C. Baraloto. 2014. Logging in bamboo-dominated forests in southwestern Amazonia: caveats and opportunities for smallholder forest management. *Forest Ecology and Management* 315:202-210. [DOI: 10.1016/j.foreco.2013.12.022](https://doi.org/10.1016/j.foreco.2013.12.022)

Duchelle, A.E., K.A. Kainer and L.H.O. Wadt. 2014. Is certification associated with better forest management and socioeconomic benefits? A comparative analysis of three certification schemes applied to Brazil nuts in Western Amazonia. *Society and Natural Resources* 27:121-139. [DOI: 10.1080/08941920.2013.840022](https://doi.org/10.1080/08941920.2013.840022)

Staudhammer, C.L., L.H.O. Wadt and K.A. Kainer. 2013. Tradeoffs in basal area growth and reproduction shift over the lifetime of a long-lived tropical species. *Oecologia* 173:45-57. [DOI: 10.1007/s00442-013-2603-1](https://doi.org/10.1007/s00442-013-2603-1)

Martins, K., A. Raposo, C.A. Klimas, E.A. Veasey, K. Kainer, and L.H.O. Wadt. 2012. Pollen and seed flow patterns of *Carapa guianensis* Aublet. (Meliaceae) in two forest types. *Genetics and Molecular Biology* 35:818-826. DOI: [10.1590/S1415-47572012005000068](https://doi.org/10.1590/S1415-47572012005000068)

Klimas, C.A., W.P. Cropper, K. Kainer, and L.H.O. Wadt. 2012. Viability of combined timber and non-timber harvests for one species: A *Carapa guianensis* case study. *Ecological Modelling* 246:147-156. DOI: [10.1016/j.ecolmodel.2012.07.022](https://doi.org/10.1016/j.ecolmodel.2012.07.022)

Humphries, S., T.P. Holmes, K. Kainer, C.G. Gonçalves Koury, E. Cruz and R. de Miranda Rocha. 2012. Are community-based forest enterprises in the tropics financially viable? Case studies from the Brazilian Amazon. *Ecological Economics* 77:62-73. DOI: [10.1016/j.ecolecon.2011.10.018](https://doi.org/10.1016/j.ecolecon.2011.10.018)

Klimas, C.A., K.A. Kainer, L.H. Wadt, C.L. Staudhammer, V. Rigamonte-Azevedo, M.F. Correia and L.M. da Silva Lima. 2012. Control of *Carapa guianensis* phenology and seed production at multiple scales: A five-year study exploring the influences of tree attributes, habitat heterogeneity and climate cues. *Journal of Tropical Ecology* 28:105-118. DOI: [10.1017/S0266467411000630](https://doi.org/10.1017/S0266467411000630)

Soriano, M., K.A. Kainer, C.L. Staudhammer, and E. Soriano. 2012. Implementing multiple forest management in Brazil nut-rich community forests: Effects of logging on natural regeneration and forest disturbance. *Forest Ecology and Management* 268:92-102. DOI: [10.1016/j.foreco.2011.05.010](https://doi.org/10.1016/j.foreco.2011.05.010)

Klimas, C.A., K.A. Kainer; and L.H.O. Wadt. 2012. The economic value of sustainable seed and timber harvests of multiuse species: An example using *Carapa guianensis*. *Forest Ecology and Management* 268:81-91. DOI: [10.1016/j.foreco.2011.03.006](https://doi.org/10.1016/j.foreco.2011.03.006)

Cossio, R.E., S. Perz, and K.A. Kainer. 2011. Capacity for timber management in small and medium forest enterprises: A case study from the Peruvian Amazon. *Small-scale Forestry* 10:489-507. DOI: [10.1007/s11842-011-9163-1](https://doi.org/10.1007/s11842-011-9163-1)

Duchelle, A.E., P. Cronkleton, K.A. Kainer, G. Guanacoma, and S. Gezan. 2011. Resource theft in tropical forest communities: Implications for non-timber management, livelihoods, and conservation. *Ecology and Society* 16(1): 4. [online] URL: <http://www.ecologyandsociety.org/vol16/iss1/art4/>

Duchelle, A.E., K. Biedenweg, C. Lucas, A. Virapongse, J. Radachowsky, D. J. Wojcik, M. Londres, W.L. Bartels, D. Alvira and K.A. Kainer. 2009. Graduate students and knowledge exchange with local stakeholders: Possibilities and preparation. *Biotropica* 41:578-585. DOI: [10.1111/j.1744-7429.2009.00563.x](https://doi.org/10.1111/j.1744-7429.2009.00563.x)

Kainer, K.A., M.L. DiGiano, A.E. Duchelle, L.H.O. Wadt, E. Bruna, and J. Dain. 2009. Partnering for greater success: Local stakeholders and research in tropical biology and conservation. *Biotropica* 41:555-562. [DOI: 10.1111/j.1744-7429.2009.00560.x](https://doi.org/10.1111/j.1744-7429.2009.00560.x)

Cotta, J., K.A. Kainer, L.H.O. Wadt, and C.L. Staudhammer. 2008. Shifting cultivation effects on Brazil nut (*Bertholletia excelsa*) regeneration. *Forest Ecology and Management* 256:28-35. [DOI: 10.1016/j.foreco.2008.03.026](https://doi.org/10.1016/j.foreco.2008.03.026)

Peralta, P.A. and K.A. Kainer. 2008. Market integration and livelihood systems: A comparative case of three Ashaninka villages in the Peruvian Amazon. *Journal of Sustainable Forestry* 27:145-171. [DOI: 10.1080/10549810802225267](https://doi.org/10.1080/10549810802225267)

Wadt, L.H.O., K.A. Kainer, C.L. Staudhammer, and R.O.P. Serrano. 2008. Sustainable forest use in Brazilian extractive reserves: Natural regeneration of Brazil nut in exploited populations. *Biological Conservation* 141:332-346. [DOI: 10.1016/j.biocon.2007.10.007](https://doi.org/10.1016/j.biocon.2007.10.007)

Kainer, K.A., L.H.O. Wadt, and C.L. Staudhammer. 2007. Explaining variation in Brazil nut fruit production. *Forest Ecology and Management* 250:244-255. [DOI: 10.1016/j.foreco.2007.05.024](https://doi.org/10.1016/j.foreco.2007.05.024)

Klimas, C.A., K.A. Kainer, and L.H.O. Wadt. 2007. Population structure of *Carapa guianensis* in two forest types in the southwestern Brazilian Amazon. *Forest Ecology and Management* 250:256-265. [DOI: 10.1016/j.foreco.2007.05.025](https://doi.org/10.1016/j.foreco.2007.05.025)

Rockwell, C.A., K.A. Kainer, C.L. Staudhammer, and C. Baraloto. 2007. Future crop tree damage in a certified community forest in southwestern Amazonia. *Forest Ecology and Management* 242:108-118. [DOI: 10.1016/j.foreco.2006.12.028](https://doi.org/10.1016/j.foreco.2006.12.028)

Rockwell, C., K.A. Kainer, N. Marcondes, and C. Baraloto. 2007. Ecological limitations of reduced impact logging at the smallholder scale. *Forest Ecology and Management* 238:365-374. [DOI: 10.1016/j.foreco.2006.11.002](https://doi.org/10.1016/j.foreco.2006.11.002)

Humphries, S. and K.A. Kainer. 2006. Local perceptions of forest certification for community-based enterprises. *Forest Ecology and Management* 235:30-43. [DOI: 10.1016/j.foreco.2006.07.027](https://doi.org/10.1016/j.foreco.2006.07.027)

Kainer, K.A., L.H.O. Wadt, D.A.P. Gomes-Silva, and M. Capanu. 2006. Liana loads and their association with *Bertholletia excelsa* fruit and nut production, diameter growth and crown attributes. *Journal of Tropical Ecology* 22:147-154. [DOI: 10.1017/S0266467405002981](https://doi.org/10.1017/S0266467405002981)

Kainer, K.A., M. Schmink, H. Covert, J.R. Stepp, E.M. Bruna, J.L. Dain, S. Espinosa, and S. Humphries. 2006. A graduate education framework for tropical conservation and development. *Conservation Biology* 20:3-13. [DOI: 10.1111/j.1523-1739.2006.00356.x](https://doi.org/10.1111/j.1523-1739.2006.00356.x)

Wadt, L.H.O., K.A. Kainer, and D.A.P. Gomes-Silva. 2005. Population structure and nut yield of a *Bertholletia excelsa* stand in Southwestern Amazonia. *Forest Ecology and Management* 211:371-284. [DOI: 10.1016/j.foreco.2005.02.061](https://doi.org/10.1016/j.foreco.2005.02.061)

Kainer, K.A., M. Schmink, A.C.P. Leite, and M.J. da Fadell Silva. 2003. Experiments in forest-based development in Western Amazonia. *Society and Natural Resources* 16:869-886. [DOI: 10.1080/716100619](https://doi.org/10.1080/716100619)

Peres, C.A., C. Baider, P.A. Zuidema, L.H.O. Wadt, K.A. Kainer, D.A.P. Gomes-Silva, R.P. Salomão, L.L. Simões, E.R.N. Francisiosi, F.C. Valverde, R.Gribel, G.H. Shepard, Jr., M. Kanashiro, P. Coventry, D.W. Yu, A.R. Watkinson, and R. P. Freckleton. 2003. Demographic threats to the sustainability of Brazil nut exploitation. *Science* 302:2112-2114. [DOI: 10.1126/science.1091698](https://doi.org/10.1126/science.1091698)

Zarin, D.J., K.A. Kainer, F.E. Putz, M. Schmink, and S.K. Jacobson. 2003. Integrated graduate education and research in neotropical working forests. *Journal of Forestry* 101:31-37.

Kainer, K.A., M.L. Duryea, M.M. de Malavasi, E.R da Silva, and J. Harrison. 1999. Moist storage of Brazil nut seeds for improved germination and nursery management. *Forest Ecology and Management* 116:207-217. [DOI: 10.1016/S0378-1127\(98\)00461-7](https://doi.org/10.1016/S0378-1127(98)00461-7)

Kainer, K.A., M.M. de Malavasi, M.L. Duryea, and E.R da Silva. 1999. Brazil nut (*Bertholletia excelsa*) seed characteristics, preimbibition and germination. *Seed Science and Technology* 27:731-745.

Kainer, K.A., M.L. Duryea, N.C. de Macêdo, and K. Williams. 1998. Brazil nut seedling establishment and autecology in extractive reserves of Acre, Brazil. *Ecological Applications* 8:397-410. [DOI: 10.1890/1051-0761\(1998\)008\[0397:BNSEAA\]2.0.CO;2](https://doi.org/10.1890/1051-0761(1998)008[0397:BNSEAA]2.0.CO;2)

Kainer, K.A. and M.L. Duryea. 1992. Tapping women's knowledge: Plant resource use in extractive reserves, Acre, Brazil. *Economic Botany* 46:408-425. [DOI: 10.1007/BF02866513](https://doi.org/10.1007/BF02866513)

Kainer, K.A., M.L. Duryea, T.L. White, and J.D. Johnson. 1991. Slash pine bud dormancy as affected by lifting date and root wrenching in the nursery. *Tree Physiology* 9:479-489. [DOI: 10.1093/treephys/9.4.47](https://doi.org/10.1093/treephys/9.4.47)

Kainer, K.A. and M.L. Duryea. 1990. Root wrenching and lifting date of slash pine: effects on morphology, survival, and growth. *New Forests* 4:207-221. [DOI: 10.1007/BF00118878](https://doi.org/10.1007/BF00118878)

Book chapters

Ellis, E.A., K.A. Kainer, J.A. Sierra Huelsz and P. Negreros-Castillo. (in press). Community-based forest management in Quintana Roo, Mexico. In: Cashore, B., W. de Jong, G. Galloway, P. Katila and P. Pacheco (eds.). *Forests under pressure: local responses to global issues*. IUFRO (International Union of Forest Research Organizations) World Series, Vol. xx. IUFRO, Vienna.

<http://www.iufro.org/science/special/wfse/forests-pressure-local-responses/>

Branch, L.C., K.A. Kainer, G. Zapata Ríos, S. Espinosa y B. A. Loiselle. 2013. El Programa de la Universidad de Florida para la Conservación y el Desarrollo Tropical (TCD): Una estrategia interdisciplinaria para entrenar a la siguiente generación de conservacionistas en el trópico y otras regiones geográficas del hemisferio sur. (The University of Florida's Tropical Conservation and Development (TCD) Program: An interdisciplinary strategy to train the next generation of conservationists in the tropics and other geographical regions in the Southern Hemisphere). Memorias de la X Congreso Internacional de Manejo de Fauna en la Amazonia y América Latina, Salta, Argentina, May 2012. <http://comfauna.org/wp-content/uploads/2013/12/OK-Branch-et-al-final-COMFAUNA-formatado-DIC-2013.pdf>

Soriano, M., K.A. Kainer, C.L. Staudhammer and E. Soriano. 2013. Implementación del manejo múltiple en bosques comunitarios ricos en castaña: Efectos del aprovechamiento de madera en la regeneración natural. Pages 205-232, *In*: Guariguata, M.R. (ed.). Avances y perspectivas del manejo forestal para uso múltiple en el trópico húmedo. International Center for Forestry Research (CIFOR), Bogor, Indonesia. (Spanish translation of refereed article above - Soriano *et al.* 2012.) http://www.cifor.org/publications/pdf_files/Books/BGuariguata1301.pdf

Klimas, C.A., K.A. Kainer; and L.H.O. Wadt. 2013. El valor económico de la extracción sostenible de las semillas y la madera de especies de uso múltiple: Un ejemplo con *Carapa guianensis*. Pages 175-204, *In*: Guariguata, M.R. (ed.). Avances y perspectivas del manejo forestal para uso múltiple en el trópico húmedo. International Center for Forestry Research (CIFOR), Bogor, Indonesia. (Spanish translation of refereed article above - Klimas *et al.* 2012.) http://www.cifor.org/publications/pdf_files/Books/BGuariguata1301.pdf

Wadt, L.H.O. and K.A. Kainer. 2012. Domestication and breeding of the Brazil nut tree. Pages 297-317, *In*: Borém, A., M.T.G. Lopes, C. Clement, and H. Noda (eds.). Domestication and breeding: Amazonian species. Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil. (English translation of Wadt *et al.* chapter below).

Kainer, K.A., M.L. Cymerys, L.H.O. Wadt, and V. Argolo. 2011. Brazil nut (*Bertholletia excelsa* Bonpl.). Pages 49-64, *In*: Shanley, P., M. Cymerys, M. Serra and G. Medina (eds.). Fruit trees and useful plants in Amazonian life. Food and Agricultural Organization of the United Nations (FAO), International Center for Forestry Research (CIFOR), and People and Plants International. Rome. http://www.cifor.org/publications/pdf_files/Books/BShanley1101.pdf

Wadt, L.H.O. and K.A. Kainer. 2009. Domesticação e melhoramento da castanheira (*Bertholletia excelsa* Bonpl.). Pages 297-317, *In*: Borém, A, M.T.G. Lopes, and C. Clement (eds.). Domesticação e melhoramento de plantas: Espécies Amazônicas. Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil.

Cymerys, M. L. Wadt, K. Kainer, and V. Argolo. 2005. Castanheira. Pages 61-73, *In*: Shanley, P. and G. Medina (eds.). *Frutíferas e plantas úteis na vida Amazônica (Useful fruits and plants in Amazonian Livelihoods)*. Center for International Forestry Research, Bogor, Indonésia and Instituto do Homem e Meio Ambiente da Amazônia, Belém, Brazil.

http://www.cifor.org/publications/pdf_files/Books/BShanley0501.pdf

F. Brown, K.A. Kainer, Andrea S. Alechandre, and E. do Amaral. 2001. Extractive reserves and participatory research as factors in the biogeochemistry of the Amazon Basin. Pages 122-138, *In*: M.E. McClain, R.L. Victoria, and J. Richey (eds.). *The Biogeochemistry of the Amazon Basin*. Oxford University Press, Oxford, U.K.

Reviews and letters

Bruna, E.M. and K.A. Kainer. 2005. Response Letter: A delicate balance in Amazonia. *Science* 307:1044-1045. DOI: [10.1126/science.307.5712.1044](https://doi.org/10.1126/science.307.5712.1044)

Kainer, K.A. 2003. Review of “Participatory action research in natural resource management: A critique of the method based on five years’ experience in the Transamazônica region of Brazil” by C. Castellonet and C.F. Jordan. *Agroforestry Systems* 58:73-74. DOI: [10.1023/A:1025490216502](https://doi.org/10.1023/A:1025490216502)

Outreach publications

Wadt, L.H.O., K.A. Kainer and C.L. Staudhammer. 2015. Corte de cipós em castanheiras como tratamento silvicultural para aumentar a produção de frutos. *Comunicado Técnico 400*, Embrapa, Porto Velho, Brasil.

López, C.B., K.A.Kainer, E.A. Ellis, J.L. Dain, H.H. Covert, and P. Negreros-Castillo. 2011. La educación como base para la conservación, experiencias dentro y fuera del aula (Education as a base for conservation, experiencias inside and outside the classroom). *Science Supplement (Jarocho Cuántico) of the Jornada Veracruz*, 5 June 2011, Number 3. http://jornadaveracruz.com.mx/Noticia.aspx?ID=110606_131104_662

Wadt, L.H.O., C. Klimas, M. Londres, and K.A. Kainer. 2011. Andiroba na Amazônia: potencial para a produção de sementes. (Andiroba in the Amazon: potencial for seed production). *Jornal Agrosoft* 12 Jan 2011. <http://www.agrosoft.org.br/agropag/216759.htm>

Klimas, C., A. Raposo, L.H.O. Wadt, and K.A. Kainer. 2005. Andiroba: estudos ecológicos e genéticos para o manejo e a conservação da espécie. (Andiroba: ecological and genetic studies for species management and conservation). *Technical Article of Embrapa Acre*. <http://catuaba.cpaafac.embrapa.br/chefias/cna/artigos/andiroba.htm>

Wadt, L.H.O., K.A. Kainer, C.B. Cartaxo, G.M. Nunes, F.M.N. Leite, J.M.L. de Sousa Leite and D.A.P. Gomes-Silva, and M. de Moraes Messias Sousa. 2005. Manejo da castanheira (*Bertholletia excelsa*) para produção de castanha-do-Brasil (Managing Brazil nut stands for nut production). *SEPROF (Secretaria de extrativismo e Produção Familiar)*, Documento Técnico

3, Rio Branco, Acre, Brazil. 42p.

Kainer, K.A., M.L. Duryea and N.M. de Costa. 1996. Cultivando a castanheira no roçado, no campo e na mata: Resultados de uma pesquisa (Cultivating Brazil nut in shifting cultivation plots, pasture and forest: research results). Agroforestry Component Series No. 4, Grupo de Pesquisa e Extensão em Sistemas Agroflorestais do Acre (PESACRE), Rio Branco, Acre, Brazil.

Kainer, K.A., M.L. Duryea, C. Rancy and E. Braga. 1992. Conhecimento e uso de plantas pela mulher seringueira (Knowledge and use of plants by women rubber tappers). Grupo de Pesquisa e Extensão em Sistemas Agroflorestais do Acre (PESACRE), Rio Branco, Acre, Brazil.

Yeager, T.H., K.A. Kainer, and R.N. Gallaher. 1990. Tissue elemental status of landscape laurel and shumard oaks. In: B.L. James (ed.), Proceedings Southern Nurserymans Association Research Conference 25:291-293.